




## DSP-1000W Wireless HD Digital Signage Player

Thiết bị kỹ thuật số với hình ảnh chất lượng cao DSP-1000W của Planet hỗ trợ xem Video chất lượng cao Full HD với định dạng 1080p. DSP-1000W là thiết bị lý tưởng thích hợp cho nhu cầu quảng cáo chuyên nghiệp.

DSP-1000W được thiết kế để phục vụ cho nhu cầu quảng cáo tập trung vào sản phẩm và thông tin mới nhất. Thiết bị có thể kết nối với mạng IP để hệ thống kỹ thuật số được sử dụng bất kì nơi nào cần quảng cáo, nội dung của quảng cáo có thể được cập nhật từ thẻ CF hoặc ổ cứng dung lượng lớn kích thước 2.5" và tất cả nội dung có thể được duy trì từ một máy chủ trung tâm. DSP-1000W hỗ trợ công nghệ không dây IEEE 802.11g để cho phép truyền thông tốc độ sóng không dây tối đa và hỗ trợ mã hóa bảo mật WEP và WPA, điều này giúp thuận tiện cho việc quản lý.

Ngoài ra với tính năng Super video (S-video), digital audio (S/PDIF), video analog và audio outputs, thiết bị DSP-1000W cung cấp chuẩn HDMI cho người dùng thường thức video có độ nét cao. DSP-1000W thường được áp dụng cho ngành công nghiệp quảng cáo, các thông tin công khai của chính phủ, quảng cáo ở thang máy, sân bay, trung tâm triển lãm hoặc những nơi có nhiều người qua lại.

### >>> Mô hình ứng dụng



## >>> Đặc tính kỹ thuật

- Hỗ trợ cổng HDMI cho Audio / Video
- Hình ảnh chất lượng cao với định dạng 1080p
- Hỗ trợ kết nối không dây 802.11 b/g với mã hóa WEP và WPA
- Hỗ trợ phần cứng và phần mềm xem thời gian Watchdog timer (WDT)
- Đồng hồ thời gian thực RTC
- Hỗ trợ danh sách truyền thông để cho phép xem lại nội dung theo lịch trình
- Tin nhắn theo văn bản cuộn
- Tải nội dung lịch trình từ HTTP hoặc FTP server
- Chế độ chạy tự động cho việc thiết lập dễ dàng
- Hỗ trợ chuẩn ISO, WMV 9 và H.264

## >>> Thông số kỹ thuật

Model	DSP-1000
<b>Hardware Specification</b>	
Port	<b>Video Output</b> HDMI (up to 1080p), VGA, S-Video/Component Video (up to 720p and 1080i) , SCART RGB (optical cable), VGA (up to 1920x1200), Composite Video <b>Audio Output</b> Audio (Right, Left), S/PDIF (Optical output) <b>Ethernet</b> 1 Ethernet:10/100Mbps, Half or Full Duplex, Auto-Negotiation, Auto MID/MID-X <b>USB</b> 2 USB 2.0 Host (External Storage support)
LED Indicators	1 Power LED light on front panel 1 Network LED light on front panel
Power Switch	1 Power On / Off switch on rear panel
Internal Storage	One CF card or one 2.5" SATA H.DD
<b>Software Specification</b>	
Media Format	<b>Audio</b> WAV, MP3, WMA, AC3 and OGG <b>Video</b> MPEG1/2/4, H.264, WMV9 and ISO <b>Pictures</b> JPEG
Screen Layout	4
Management Interface	Remote Controller, Configuration Tool, CMS
Languages Support	English, Traditional Chinese and Simple Chinese
<b>Environmental</b>	
Dimension (W x D x H)	200 x 172 x 34 mm
Weight	900 g

Cables	Composite, Component and VGA AV cable 1.5m Ethernet cable
Power	12V DC, 2A
Operating Temperature	0 ~ 45 Degree C
Storage Temperature	-25 ~ 65 Degree C
Operating Humidity	20 ~ 80% Non-condensing
Storage Humidity	20 ~ 90% Non-condensing
Emission	FCC, CE

>>> Thông tin đặt hàng

**DSP-1000**

Digital Signage Player

**DSP-1000W**

Wireless Digital Signage Player



**PLANET Technology Corporation**

11F, No. 96, Min Chuan Road, Hsin Tien, Taipei,  
Taiwan.

Tel: 886-2-2219-9518 Fax: 886-2-2219-9528

Email : [support@netcom.com.vn](mailto:support@netcom.com.vn)

Web site : <http://www.planet.com.vn>

VoIP Gateway: [vip.planet.com.tw](http://vip.planet.com.tw)

Planet reserves the right to change specifications without prior notice.  
All brand names and trademarks are property of their respective owners.  
Copyright © 2005 PLANET Technology Corp. All rights reserved

**FC CE**

**DSP-1000W 05- 10**

