




ICA-120 CMOS Box Internet Camera

Thiết bị CMOS Box Internet Camera ICA-120 Của Planet được thiết kế phù hợp với nhiều môi trường mạng khác nhau và cho phép 10 người có thể truy cập cùng lúc vào bất cứ khi nào tại bất kì đâu. Thiết bị hỗ trợ chuẩn mã hóa MPEG-4 và MJPEG cho nhiều người sử dụng khác nhau vào cùng thời điểm. Hơn nữa độ phân giải có thể khác nhau với từng người sử dụng. Hỗ trợ giao diện Web Browser ICA-120 còn tương thích với giao thức RSTP và RTP cho phép người sử dụng có thể xem trực tiếp hình ảnh qua điện thoại 3G.

Tích hợp microphone, ICA-120 cho phép truyền âm thanh 2 chiều giữa 2 vị trí bất kì. Người quản lý có thể nói chuyện với bất kì ai đứng tại ICA-120 có kết nối loa ngoài từ phòng điều hành. Thiết bị cũng sử dụng ống kính điều khiển CS có thể tùy chỉnh độ zoom, điều chỉnh góc, tiêu cự và những thay đổi khác của ống kính.


Thông qua phần mềm quản lý chuyên nghiệp, Planet Cam Viewer, ICA-120 có thể được sử dụng trong hệ thống giám sát nhiều camera với các tính năng quản lý ghi âm và những tính năng quản lý sự kiện. Mọi người có thể cài đặt hệ thống giám sát đầy đủ tính năng và hiệu quả một cách nhanh chóng và dễ dàng. Vì thế nó mang tới một môi trường bảo mật chuyên nghiệp bảo vệ tài sản và cuộc sống của bạn.

>>> Mô hình ứng dụng



Đặc tính sản phẩm

- Hỗ trợ ống kính CS
- Hỗ trợ lên tới 30 FPS cho tất cả độ phân giải
- Hỗ trợ 4 Motion detection khu vực
- Hỗ trợ chuẩn mã hóa hình ảnh MPEG-4 và MJEG
- Hỗ trợ 3GPP điện thoại 3G với ứng dụng từ xa
- Hỗ trợ giao thức I/O mở rộng cho nhiều ứng dụng giám sát khác nhau
- Hỗ trợ phần mềm quản lý Cam Viewer
- Tích hợp Microphone và loa ngoài cho giao tiếp âm thanh 2 chiều



>>> Thông số kỹ thuật

Model	ICA-120
Video Specification	
Image Sensor	1/3" CMOS image sensor
Lens	f3.6 mm, F2.0 CS mount type
Scan Method	Progressive
Video Encoder	MPEG-4 and M-JPEG dual code
Rate Control	CBR(Constant Bit Rate) / VBR(Variable Bit Rate)
Video Resolution	30fps @ 640 x 480, 320 x 240, 160 x 120
Image Control	AWB, AES
View Angle	Horizontal: 68 degrees / Vertical: 54 degrees
Audio Specification	
Audio Codec	G.726 / AMR
Audio I/O	Audio in: Internal/external microphone
	Audio out: External Speaker
Network and Configuration	
Network Interface	1 x RJ-45
Network Standard	IEEE 802.3 / IEEE 802.3u
Network Protocol	TCP/IP, HTTP, SMTP, FTP, NTP, DNS,
	DDNS, DHCP, UPnP, RTSP, PPPoE, 3GPP
Browser / Software	Microsoft ® Internet Explorer 6.0 or later, Cam Viewer Lite/Pro
Motion Detection	4 areas definable
Environment Specifications	
Power Requirement	12V DC, 1A
Dimension (W x D x H)	90 x 159 x 46 mm
Weight	298g
Operating Temperature	0 ~ 50 Degree C
Operating Humidity	10 ~ 80% (non-condensing)
Emission	CE, FCC, PCT

>>> Thông tin đặt hàng

ICA-120

CMOS Box Internet Camera



PLANET Technology Corporation

11F, No. 96, Min Chuan Road, Hsin Tien, Taipei,
Taiwan.
Tel: 886-2-2219-9518 Fax: 886-2-2219-9528
Email : support@netcom.com.vn
Web site : <http://www.planet.com.vn>
VoIP Gateway: vip.planet.com.tw

Planet reserves the right to change specifications without prior notice.
All brand names and trademarks are property of their respective owners.
Copyright © 2005 PLANET Technology Corp. All rights reserved

FC CE

C- ICA-120 08-08